



□ **ELECTRO-HYDRAULIC POWER UNIT**
GEN4 | HRP-BAT-4



HRP-BAT GEN 4

ELECTRO-HYDRAULIC BREACHING KIT



Two-button control interface, provides an easy return point for quick manipulation

Quick-connect hydraulic fittings for seamless tool swaps

MOLLE Tool holders offer convenient tool storage

The custom FirstSpear backpack design allows high, tight wear for enhanced mobility without interfering with other tactical gear

Noise-canceling enclosure reduces sound output to just 57dB at full pressure

The GEN4 Hydraulic Power Unit delivers 10,000psi of hydraulic pressure, powered by DeWalt 60V FLEXVOLT batteries for up to 300 breaches per charge. MIL-STD 810G tested and field-proven by the USMC, USAF and NYPD ESU, the GEN4 power unit offers unmatched reliability, performance, and safety for any mission.



Laser cut MOLLE

WEIGHT W BATTERY	9.75 KG 21.5 LBS
DIMENSIONS	6.75" x 10" x 13.5"
	17.1CM x 25.4CM x 34.3CM
REMOTE BATTERY	HOSE MOUNTED
	60V LI-ION
WORKING PRESSURE	690 BAR 10,000 PSI

* Pictured with optional HDP11 Tool Head





HRP-BAT GEN 4

ELECTRO-HYDRAULIC BREACHING KIT

□ LONG STROKE HYDRAULIC DOOR PUSHER | HDP11

The HDP11 Long Stroke Door Pusher is a powerful hydraulic breaching tool designed for tactical operations. Compact, lightweight, and built for speed, the HDP11 offers reliable performance in high-stakes breaching scenarios.



Swivel hydraulic hose connector keeps operators clear of the fatal funnel

Industry leading 11 inches efficiently breaches barricaded and reinforced doors.

Stair-step blade design allows for precise engagement on both inward and outward swinging doors

Features:

- Ultra-Thin Gapping Blades (0.1 inches / 2.5 mm)
- Stair-Step Blade Design
- 11-Inch Stroke
- Gas Spring Retraction Mechanism
- Swivel Hydraulic Hose Connector
- Ergonomic Foam-Covered Grab Handle

HDP11

WEIGHT	12.34LBS 5.6 KG
DIMENSIONS	5 x 4 x 18 IN 127.0 x 101.6 x 457.2 MM
STROKE	11 IN 279.4 MM
PUSHING POWER	10,000 LBS 4535KG
WORKING PRESSURE	690 BAR 10,000 PSI





HRP-BAT GEN 4

ELECTRO-HYDRAULIC BREACHING KIT

4" DOOR PUSHER | HDP4

JAMB SPREADER BAR | JS41


The HDP4+JS41 Hydraulic Door Pusher and Jamb Spreader is a versatile 2-in-1 breaching tool designed for heavier breaching applications. Built from heat treated steel and featuring quick-connect hydraulic fittings, the HDP4+JS41 is compact, durable, and ideal for both inward and outward swing doors.



Tool holder lugs integrate into MOLLE tool blocks for convenient storage

4-inch stroke for both inward and outward doors

Quick-connect hydraulic fittings



Internal spring retraction mechanism

Can be converted to a Jamb Spreader for quiet for low-damage entries

Features:

- 2-in-1 Tool: Door Pusher and Jamb Spreader
- Door Pusher (HDP4): Delivers 4 inches of stroke for inward and outward swing doors
- Jamb Spreader (JS41): Ideal for wellness checks or covert missions requiring minimal noise and little structural damage.
- Internal Spring Retraction Mechanism
- Quick-Connect Hydraulic Fittings
- MOLLE-Compatible Storage and Hands-Free Operation

HDP4 (Part #1 of 2-in-1 Ratspreader)

WEIGHT	7 LBS 3.2 KG
DIMENSIONS	10.4 x 4.9 x 3.7 IN 264 x 114 x 98 MM
STROKE	4 IN 102 MM
PUSHING POWER	10,000 LBS 4535KG
WORKING PRESSURE	690 BAR 10,000 PSI

JS41 (Part #2 of 2-in-1 Ratspreader)

WEIGHT	5.7 LBS 2.6 KG
LENGTH MIN	660 MM 26 IN
LENGTH MAX	1041 MM 41 IN
PUSHING POWER	10,000 LBS 4545 KG
WORKING PRESSURE	690 BAR 10,000 PSI



HRP-BAT GEN 4

ELECTRO-HYDRAULIC BREACHING KIT

□ 3 TON SPREADER | **HS4** [INCLUDED IN HRP4]

The HS4 Three Ton Hydraulic Spreader is a compact yet powerful breaching tool designed for tasks such as light vehicle extrication, sliding door removal, and window grill dismantling. Built from durable steel and compatible with GEN4, GEN3, and manual pump power units, the HS4 is highly maneuverable and perfect for medium-gap breaches in both tactical and rescue operations.



Features:

- Powerful 3-Ton Spreading Force
- 4-Inch Stroke
- Compact and Lightweight Design
- Durable Steel Construction
- Quick-Connect Hydraulic Fittings
- Lossless Hydraulic Fittings Design

WEIGHT	7 LBS 3.0 KG
LENGTH	13.2 IN 33.6 CM
ARM WIDTH	2 IN 5.08 CM
WORKING PRESSURE	10,000 PSI 700 BAR
CLOSED BLADE HEIGHT	0.16 IN 4 MM
EXT. BLADE HEIGHT	4.33 IN 10.9 CM
RATED LOAD AT BLADE TIPS	3,000 lbs 1,360 KG




HRP-BAT GEN 4

ELECTRO-HYDRAULIC BREACHING KIT

□ HYDRAULIC BOLT CUTTER | HBC30

The HBC30 Hydraulic Bolt Cutters deliver powerful cutting performance in a compact design. Features quick-change heat-treated steel blades with a safety mechanism to prevent fractures, ensuring durability and efficiency in the field. Ideal for tactical and industrial applications, these cutters are perfect for cutting locks, fences, and rebar in high-pressure situations where reliability is key.



Features:

- Powerful Cutting Force
- Compact and Lightweight Design
- Quick-Change Heat-Treated Blades
- 10,000 PSI power unit required
- Seamless Integration

WEIGHT	6.8 LBS 3.1 KG
DIMENSIONS	8.3 X 7.2 X 2.4 IN 213 X 184 X 59 MM
CUTTING CAPACITY	.27 IN 7 MM with High Harness HRC40 .51 IN 13 MM with Low Harness HRC20
CUTTING FORCE	39,998 LBS 18143 KG
WORKING PRESSURE	10,000 PSI 690 BAR




HRP-BAT GEN 4

ELECTRO-HYDRAULIC BREACHING KIT

LARGE HYDRAULIC BOLT CUTTER | HBC36

The HBC36 Hydraulic Bolt Cutters deliver powerful cutting performance in a compact design. Features quick-change heat-treated steel blades with a safety mechanism to prevent fractures, ensuring durability and efficiency in the field. Ideal for tactical and industrial applications, these cutters are perfect for cutting locks, fences, and rebar in high-pressure situations where reliability is key.




Features:

- Enhanced Cutting Power
- Larger Cutting Capacity
- Quick-Change Heat-Treated Blades
- Compact and Maneuverable

WEIGHT	9.2 LBS 4.2 KG
DIMENSIONS	10.6 X 7.87 X 2 IN 69 X 200 X 51 MM
CUTTING CAPACITY	.31 IN 8 MM with High Harness HRC40 .63 IN 16 MM with Low Harness HRC20
CUTTING FORCE	42,549 LBS 19,295 KG
WORKING PRESSURE	10,000 PSI 690 BAR

□ HYDRAULIC REBAR CUTTER | HRC625

The HRC625 Hydraulic Rebar Cutter delivers 15,600 lbs [7.8 tons] of cutting force in a lightweight, 6.3 lbs [2.8 kg] design. With high-grade tool steel blades and a guillotine-style cutting action, it ensures precise, jam-free cuts on wire rope, rebar, and steel cable. The hinged head mechanism captures material easily, while the internal spring retraction allows for rapid consecutive cuts. Compatible with GEN3, GEN4, and manual pumps, it offers quick-connect fittings for seamless operation. The field-replaceable blade can be replaced in seconds, making it an ideal tool for tactical, rescue, and industrial use.



Features:

- Durable Tool Steel Blades
- Guillotine-Style Cutting
- 15,600 lbs Cutting Force
- Hinged Head Mechanism: Secures material for efficient cutting with no engagement issues.
- Lightweight and Portable, ideal for confined spaces and easy transport

WEIGHT	2.8 KG 6.3 LBS
DIMENSIONS	235 x 86 x 64 MM 9.25 x 3.75 x 2.5 IN
CUTTING DIAMETER	16 MM .625 IN
CUT POWER	7.8 TON 15,600 LBS
WORKING PRESSURE	690 BAR 10,000 PSI



HRP-BAT GEN 4

ELECTRO-HYDRAULIC BREACHING KIT

□ REMOTE CONTROL | **HRP-BAT-4-REMOTE-OPTION**

The optional Remote Control System enhances operator safety and flexibility by enabling standoff operation of the GEN4 Electro-Hydraulic Breaching Kit without changing established workflows. The compact, ruggedized transmitter features dedicated ADVANCE and RETRACT buttons that mirror the two-button control interface on the GEN4 Power Unit, ensuring intuitive operation under stress.



Ruggedized transmitter

Features:


- Enables operators to maintain distance from the breach point while retaining precise control
- Reliable operating range of up to 100 meters for enhanced standoff capability
- Factory pre-paired system for immediate deployment
- Compatible with previously fielded GEN4 power units



Receiver fully integrated within power unit

□ TOOL LIGHT | **HTL-1**

The HTL-1 Tool Light integrates seamlessly with Rapid Assault Tools breaching equipment, providing hands-free illumination in low-light environments. Featuring the Princeton Tech MPLS light, available in white, red, or IR, it attaches via a custom picatinny magnetic mount, allowing for easy repositioning without interfering with tool operation. Compact and versatile, the HTL-1 ensures optimal visibility during tactical operations while maintaining tool efficiency.





HRP-BAT GEN 4

ELECTRO-HYDRAULIC BREACHING KIT

The Rapid Assault Tools Hydraulic Breaching Tool Cases by Pelican are rugged, waterproof, and dustproof storage solutions featuring custom-cut foam to securely hold the complete GEN4 Hydraulic Breaching Kit. Built for durability and mobility, these cases protect your tools in transit and on-site, ensuring your equipment stays mission-ready in the toughest environments.



☐ HYDRAULIC TOOL CASE 1 **HTC-1**

Holds:

- Gen4 Power Unit 60V fast charger
- Qty 2 60V 6Ah Dewalt Batteries
- HDP11 - Long Stroke Door Pusher or HRC-625



☐ HYDRAULIC TOOL CASE 2 **HTC-2**

Holds:

- HDP11 - Long Stroke Door Pusher
- HDP4 + JS41 - Door pusher Jamb spreader Combo
- HS4 - 3 Ton Spreader
- HBC30 - Hydraulic Bolt Cutter
- HBC36 - Large Hydraulic Bolt Cutter
- * HRC-625 can be stored in place of HDP11

*Tools not included



**SCAN FOR
MORE INFO**



HRP-BAT GEN 4

ELECTRO-HYDRAULIC BREACHING KIT

The below kits offer varied configurations of the power unit and tool attachments to best fit your mission.

KIT	DESCRIPTION	INCLUDED PART NUMBERS	
HRP-BAT-4	GEN 4 Pump in backpack, 2 batteries, Charger, Hose assembly. No Tools.	HRP-BAT-4	
HRP1-BAT-4	11" Door Pusher w/ GEN 4 battery pump in Backpack	HRP-BAT-4 HDP11	
HRP2-BAT-4	2 in 1 RatSpreader™ w/ GEN4 battery pump, in Backpack	HRP-BAT-4 HDP4+JS41	
HRP3-BAT-4	2 in 1 RatSpreader™ w/ GEN4 battery pump, HBC30 in Backpack	HRP-BAT-4 HDP4+JS41	HBC30
HRP4-BAT-4	2in1 RatSpreader w/ GEN4 battery pump, HBC30 and 4" RatWedge in Backpack	HRP-BAT-4 HDP4+JS41	HBC30 HS4
HRP-BAT-4-PRO	GEN4 Electro-Hydraulic Breaching Kit Pro Model: seven standard hydraulic tool heads, remote control system, carry cases, and spare blades.	HRP-BAT-4 HDP11 HD4 +JS41 HBC30 HBC36 HS4 HRC625 HRP-BAT-4- REMOTE- OPTION	HTC-1 HTC-2 HTL-1 HBC30- BLADES HBC36- BLADES HRC625- BLADES



SCAN FOR
MORE INFO